EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(@ad<"20021112" or @rlad<"20021112") and ((configur$4 or provision$4) adj4 file) with (embed$4 or script$4) with adapt$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:55
		(@ad<"20021112" or @rlad<"20021112") and (remot$4 with (DOCSIS with (configur$4 or provision $4) with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:45
		(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur$4 or provision$4) with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
		(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur$4 or provision$4) with file) and (dynamic$2 with adjust $4 with (parameter$2 or value$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:43
		(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur$4 or provision$4) with file with (polic$4 or parameter $2) same (dynamic$2 with adjust$4 with (parameter$2 or value$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:42
		@ad<"20021112" or @rlad<"20021112") and (DOCSIS with (configur$4 or provision$4) with file) and (on or active$2 or off or de$1active$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:36
		(@ad<"20021112" or @rlad<"20021112") and (((configur$4 or provision $4) with file$2) same (on or active$2 or off or de$1active $2) same DOCSIS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:21

		@ad<"20021112" or @rlad<"20021112") and ((configur$4 or provision$4) with file$2) same (on or active$2 or off or de$1active $2) same DOCSIS)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:21
		@ad<"20021112" or @rlad<"20021112") and ((configur$4 or provision$4) with file$2) same (on or active$2 or off or de$1active $2) same DOCSIS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:20
		@ad<"20021112" or @rlad<"20021112") and (((configur$4 or provision $4) with file$2) same ((on or active$2) with (off or de $1active$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 18:17
S1	2	"6598057".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 11:29
S2	2	"6195689".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 11:30
S3	5	@ad<"20021112" or @rlad<"20021112") and (((configur$4 or provision $4) with file$2) same ((on or active$2) with (off or de $1active$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/10/28 18:17
S4	2	@ad<"20021112" or @rlad<"20021112") and (((configur$4 or provision $4) with file$2) same (on or active$2 or off or de$1active $2) same DOCSIS	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:21
S5	1	(@ad<"20021112" or @rlad<"20021112") and (DOCSIS with (configur$4 or provision$4) with file) and (on or active$2 or off or de$1active$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:36
S6	0	("7334252").URPN.	USPAT	OR	OFF	2009/10/28 18:38
S7	3	("5862451" | "6023464" | "6986157").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2009/10/28 18:38

S8	0	(@ad<"20021112" or @rlad<"20021112") and (DOCSIS with (configur$4 or provision$4) with file with (polic$4 or parameter $2) with (dynamic$2 or on or active$2 or off or de $1active$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:41
S9	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur$4 or provision$4) with file with (polic$4 or parameter $2)) same (dynamic$2 with adjust$4 with (parameter$2 or value$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:42
S10	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur$4 or provision$4) with file with (polic$4 or parameter $2)) and (dynamic$2 with adjust$4 with (parameter$2 or value$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:42
S11	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur$4 or provision$4) with file) and (dynamic$2 with adjust $4 with (parameter$2 or value$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:43
S12	0	(@ad<"20021112" or @rlad<"20021112") and ((DOCSIS with (configur$4 or provision$4) with file) and (automatic$4 with reset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
S13	313	(@ad<"20021112" or @rlad<"20021112") and (((configur$4 or provision $4) with file) and (automatic $4 with reset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:44
S14	1	(@ad<"20021112" or @rlad<"20021112") and (((configur$4 or provision $4) with file) with (automatic $4 with reset))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:45

S15	0	(@ad<"20021112" or @rlad<"20021112") and (remot$4 with DOCSIS with (configur$4 or provision$4) with file)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:46
S16	5	(@ad<"20021112" or @rlad<"20021112") and (remot$4 with DOCSIS with (configur$4 or provision$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:46
S17	6	(@ad<"20021112" or @rlad<"20021112") and (group$4 with DOCSIS with (configur$4 or provision$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:50
S18	1	(@ad<"20021112" or @rlad<"20021112") and (((configur$4 or provision $4) adj4 file) with (embed $4 or script$4) with adapt $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 18:55
S19	5109	(@ad<"20021112" or @rlad<"20021112") and ((configur$4 or provision$4) adj4 file) and (enable or disable or (turn adj3 (on or off)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:00
S20	42	(@ad<"20021112" or @rlad<"20021112") and ((configur$4 or provision$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software$2 or application$2 or interface$2 or GUI$2) with (switch$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:01
S21	58	(@ad<"20021112" or @rlad<"20021112") and ((configur$4 or provision$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software$2 or application$2 or interface$2 or GUI$4) with (switch$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:02

S22	0	(@ad<"20021112" or @rlad<"20021112") and ((CMTS$2 or DOCSIS) with (configur$4 or provision$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software$2 or application$2 or interface$2 or GUI$2) with (switch$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:10
S23	0	(@ad<"20021112" or @rlad<"20021112") and ((CMTS$2 or DOCSIS) with (configur$4 or provision$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software$2 or application$2 or interface$2 or GUI$2) with (switch$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:12
S24	0	(@ad<"20021112" or @rlad<"20021112") and ((configur$4 or provision$4) adj4 file) and ((enable or disable or (turn adj3 (on or off))) with (software$2 or application$2 or interface$2 or GUI$2) with (switch$4)) and ((cable$2 adj4 modem $2) with embed$4 with MTA $2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:13
S25	34	(@ad<"20021112" or @rlad<"20021112") and ((cable$2 adj4 modem$2) with embed$4 with (MTA$2 or MD5))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:15
S26	34	(@ad<"20021112" or @rlad<"20021112") and ((cable$2 adj4 modem$2) with (software$2 or web$6 or interface$2 or firmware $2)) and (embed$4 with MTA$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:25
S27	9	(@ad<"20021112" or @rlad<"20021112") and ((cable$2 adj4 modem$2) with (software$2 or web$6 or interface$2 or firmware $2)) and (embed$4 with MTA$2 with (configur$4 or provision$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:29

S28	0	(@ad<"20021112" or @rlad<"20021112") and (parameter$2 with embed $4 with MTA$2 with configur$4 or provision$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:32
S29	22	(@ad<"20021112" or @rlad<"20021112") and (embed$4 with MTA$2) and ((parameter$2 or value$2) with (configur$4 or provision $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:34
S30	0	(@ad<"20021112" or @rlad<"20021112") and (embed$4 with MTA$2 with (parameter$2 or value$2) with (configur$4 or provision $4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:36
S31	9	(@ad<"20021112" or @rlad<"20021112") and (embed$4 with MTA$2 with (configur$4 or provision$4))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:36
S32	3105	(@ad<"20021112" or @rlad<"20021112") and (parameter$2 with (configurat$4 or provision $2) with file$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:44
S33	13	(@ad<"20021112" or @rlad<"20021112") and ((parameter$2 with (configurat$4 or provision $2) with file$2) same (switch $4 with (service$2)))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:45
S34	589	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) same ((edit$4 or select$4) with parameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:49
S35	396	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((edit$4 or select$4) with parameter))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:52

S36	9	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((edit$4 or select$4) with parameter) and (packet near4 cable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:55
S37	35	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((editor$4 or select$4 or interface$2 or GUI$2) with parameter)) and (packet near4 cable)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 19:55
S38	0	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((edit$4 or select$4) with parameter)) and (embed$4 with (MTA$2 or CM$2 or MD$2 or EMTA$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:09
S39	0	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((edit$4 or select$4) with parameter)) and (embed$4 with (software$2 or application$2) with switch $4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:10
S40	0	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((edit$4 or select$4) with parameter)) and (embed$4 with (software$2 or application$2) with (switch$4 or toggle$2))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:10
S41	0	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((edit$4 or select$4) with parameter)) and (embed$4 with MTA$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:11
S42	4	(@ad<"20021112" or @rlad<"20021112") and ((configurat$4 with file$2) with ((edit$4 or select$4) with parameter)) and (MTA $2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/28 20:11

10/29/2009 3:04:26 PM